

Amendments to the Drawings:

Newly submitted replacement sheets correct all of the drawings filed in the previous amendment. All FIG. numbers are in all capital letters. Note, for example, that prior Fig. 6 has been relabeled as FIG. 6A and FIG. 6B in order to comply with 37 CFR 1.84(u). All lettering is at least .32 cm. The specification has been amended to comport with the figures. Other than correcting the format and labels, no other changes have been made.

Approval of the Examiner is requested for the replacement sheets.

Attachment: Replacement sheets 1-6

REMARKS

New corrected drawings in compliance with 37 CFR 1.121(d) were required in this application. The replacement drawings submitted herewith incorporate the desired corrections which comply with 37 CFR 1.84. 1) Figure(s) 1A-1D, 2A, 2B, and 3-6 are now properly labeled. 2) The lettering is of proper size, uniform density, and well-defined in the figures. 3) The margins are of proper size in Figure(s) 1A-1D. 4) Each panel is individually labeled.

Applicants have made a diligent effort to place the claims in condition for allowance. However, should there remain unresolved issues that require adverse action, it is respectfully requested that the Examiner telephone George A. Leone, Applicants' Attorney at 253-682-0246 so that such issues may be resolved as expeditiously as possible.

For these reasons, and in view of the above amendments, this application is now considered to be in condition for allowance and such action is earnestly solicited.

Respectfully Submitted,

May 28, 2010
Date

/George A. Leone, Reg. No. 30567/
George A. Leone
Attorney/Agent for Applicant(s)
Reg. No. 30567
Citadel Patent Law
9124 Gravelly Lake Drive SW, Suite 102
Lakewood, WA 98499
Tel. 253-682-0246